OPS-M

Promethean's OPS-M is a Intel®-based Module that is purpose-built for schools using the Microsoft® ecosystem. Slot it directly into the ActivPanel™ or ActivPanel i-Series for a seamless, all-in-one, large format experience.

Seamless Windows Integration With The ActivPanel and ActivPanel i-Series

Pre-installed Windows OS depends on model

Available in Two Configurations

Choose between the OPS-M with Microsoft Windows 10 IoT pre-installed or the model with no pre-installed operating system.

Performance and Reliability

The OPS-M includes the Intel® Core™ i5 Processor, 8 GB of RAM, and a Solid-State Drive offering faster access with greater reliability.

Easy to Install

The OPS-M slides into the OPS slot providing a seamless integration without worrying about loose cables and power supply.

Promethean OPS-M

GENERAL SPECIFICATIONS

Device Type	Open Pluggable Specification (OPS)
Operating System	Available in 2 configurations:
	1. No Operating System
	2. Pre-installed with Windows 10 IoT
CPU	Intel i5-6200U (up to 2.8 GHz)
GPU	Integrated Intel HD Graphics 520 (supports 4K @ 60 Hz)
RAM	8 GB DDR4
Internal Storage	256 GB SSD
Touchscreen Compatibility	Yes

CONNECTIVITY

HDMI Out	x1 (1.4b)
USB 2.0	x2
USB 3.0	x2
Headphone	x1
Microphone	x1
Network Connectivity	x1 RJ-45 (10/100/1000Mbps), IEEE® 802.11a/b/g/n/ac, Wireless 802.11AC 2x2, (867 Mbps), Bluetooth® 4.2

POWER

Power Requirements	12-19 V DC
Power Consumption Maximum	35 W
Power Consumption Standby	0.5 W

ENVIRONMENTAL

Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Operating Humidity	10% to 95%
Storage Humidity	10% to 90%

PHYSICAL SPECIFICATIONS

Product Dimensions	180 x 120 x 30 mm (7.1 x 4.7 x 1.2 in)
Packed Dimensions	214 x 262 x 67 mm (8.4 x 10.3 x 3 in)
Net Weight	0.72 kg (1.6 lbs)
Packed Weight	0.88 kg (1.9 lbs)

PACKED CONTENTS

What's in the Box	OPS-M x1, Antenna x2, Installation Guide x1

COMPLIANCE & CERTIFICATION

Regulatory Certification	FCC, IC, CE, CB, UL, CUL

WARRANTY

|	
Standard Warranty	Three-Year Warranty (upgrade options available and vary by region). For more information, visit PrometheanWorld.com/ActivCare.

INSTALLATION

The installation of this product should be completed by a qualified installer. Use of components not supplied by Promethean or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit Support.PrometheanWorld.com.

SUPPORT

For all Promethean products, visit Support.PrometheanWorld.com.

Promethean™

Promethean OPS-M

TECHNICAL DRAWINGS

REF	DESCRIPTION	DIMENSION mm[inch]
DIM A	UNIT HEIGHT BACK	29.6[1.17]
DIM B	OVERALL DEPTH EXCLUDING SCREWS	132[5.18]
DIM C	OVERALL DEPTH INCLUDING SCREWS	120[4.70]
DIM D	OVERALL WIDTH BACK	180[7.09]
DIM E	CONNECTOR DEPTH	4[0.16]
DIM F	OVERALL DEPTH INCLUDING HANDLE	149[5.85]
DIM G	DISTANCE BETWEEN ANTENNA	164.00[6.46]
DIM H	ANTENNA LENGTH	180[7.09]
DIM I	DISTANCE BETWEEN THUMB SCREWS	192[7.56]
DIM J	OVERALL WIDTH FRONT	200[7.87]
DIM K	UNIT HEIGHT FRONT	30[1.18]

Promethean OPS-M 2018 SS 01/18 v1.2 EN-INTL